



FOTON Tunland V7-C4x2
FOTON Tunland V7-C4x4

FOTON Tunland V9-L 4x4
FOTON Tunland V9-S 4x4

*Overseas models shown.

WEIGHT RATINGS

GVM up to 3,355kg
 PAYLOAD up to 1,115kg
 TOWING CAPACITY¹ 3,500kg

ENGINE

POWER 120kW @3600rpm
 TORQUE 450Nm @1500-2400rpm

TRANSMISSION

8 Speed Automatic Transmission (ZF)

BODY TYPE

Dual Cab

□ STANDARD
 ○ OPTIONAL
 — UNAVAILABLE



Tunland V7-C4x2



Tunland V7-C4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

ENGINE					
Type	2.0L 4 Cylinder Diesel with 48V Assist	•	•	•	•
Model	Aucan 4F20TC17	•	•	•	•
Bore x Stroke	81x 95.5mm	•	•	•	•
Capacity	1968cc	•	•	•	•
Compression Ratio	16:02	•	•	•	•

TRANSMISSION					
ZF 8-Speed Automatic		•	•	•	•
Gear Ratio	1st	5	5	5	5
	2nd	3.2	3.2	3.2	3.2
	3rd	2.143	2.143	2.143	2.143
	4th	1.72	1.72	1.72	1.72
	5th	1.314	1.314	1.314	1.314
	6th	1	1	1	1
	7th	0.822	0.822	0.822	0.822
	8th	0.64	0.64	0.64	0.64
Reverse		-3.456	-3.456	-3.456	-3.456

1. Maximum Braked Towing Capacity.

I STANDARD
O OPTIONAL
— UNAVAILABLE



Tunland V7-C4x2



Tunland V7-C4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

PERFORMANCE					
Maximum Power	120kW @3600rpm	•	•	•	•
Maximum Torque	450Nm @ 1500-2400rpm	•	•	•	•

FUEL & EMISSIONS ¹					
Fuel Tank Capacity (L)	76	76	76	76	76
Ad Blue Tank Capacity (L)	12	12	12	12	12
Combined Fuel Consumption (L/ 100km)	8.0	8.0	8.0	8.0	8.0
CO ₂ Emissions (g/km)	211	211	211	211	211
Emission Standard	Euro 6	Euro 6	Euro 6	Euro 6	Euro 6

STEERING					
Type	Electric Power Assisted	•	•	•	•
Minimum Turning Circle	13.5m	•	•	•	•

SUSPENSION					
Front Type	Double Wishbone Type Suspension	•	•	•	•
Rear Type	Leaf Spring Rigid Axle	•	•	—	—
	Multi-Link Rigid Axle	—	—	•	•

BRAKES					
Front Type	Ventilated Disc	•	•	•	•
Rear Type	Ventilated Disc	•	•	•	•

WHEELS & TYRES					
Wheel Type	Gloss Black Alloy	•	•	•	•
Tyres (width, profile, size, load index and speed rating)	265/ 70R18 116T	265/ 70R18 116T	265/ 70R18 116T	265/ 70R18 116T	265/ 70R18 116T
Wheel Dimensions	18x7.5J	18x7.5J	18x7.5J	18x7.5J	18x7.5J
18" Steel Spare Wheel	265/ 70R18	265/ 70R18	265/ 70R18	265/ 70R18	265/ 70R18

DIMENSIONS (mm)					
Overall Length	5617	5617	5617	5617	5617
Overall Width	2000	2000	2090	2090	2090
Overall Height	1910	1910	1910	1955	1955
Wheelbase	3355	3355	3355	3355	3355
Minimum Ground Clearance	240	240	240	240	240
Seating Capacity	5	5	5	5	5
Break Over Angle (Degrees)	21°	21°	21°	21°	21°
Approach/ Departure Angle (Degrees)	28°/26°	28°/26°	28°/26°	28°/26°	28°/26°
Wading Depth	700	700	700	700	700
Tub Dimensions	Length	1577	1577	1577	1577
	Width	1650	1650	1650	1650
	Height	530	530	530	530
	Internal Gap Between Wheel Arches	1240	1240	1240	1240

WEIGHTS (kg)					
Gross Vehicle Mass (GVM)	3305	3335	3310	3310	3310
Gross Combined Mass (GCM)	6805	6835	6810	6810	6810
Tare Mass ²	2134	2229	2259	2259	2259
Kerb Weight	2190	2285	2315	2315	2315
Payload	1115	1050	995	995	995

1. Results achieved in ADR81/02 fuel consumption testing. Results produced in laboratory test conditions, using sample vehicles without fitment of accessories/ customisation, and do not reflect real world driving. Figures should only be used for comparative purposes. 2. Tare Weight where quoted is for the vehicle unoccupied and unladen with full fluids and 10 litres fuel. Weights may change with the addition of equipment. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.

I STANDARD
 O OPTIONAL
 — UNAVAILABLE



Tunland V7-C4x2



Tunland V7-C4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

TOWING (kg)				
Maximum Braked Towing Capacity	3500	3500	3500	3500
Maximum Unbraked Towing Capacity	750	750	750	750
Maximum Tow Ball Down Weight	350	350	350	350

COLLISION AVOIDANCE					
Electronic Stability Program		(ESP)	•	•	•
Anti-Lock Braking System		(ABS)	•	•	•
Electric Brakeforce Distribution		(EBD)	•	•	•
Vehicle Dynamics Control		(VDC)	•	•	•
Traction Control System		(TCS)	•	•	•
Hydraulic Brake Assist		(HBA)	•	•	•
Hill-Hold-Control		(HHC)	•	•	•
Hill Descent Control		(HDC)	•	•	•
Hydraulic Brake Boost		(HBB)	•	•	•
Auto Vehicle Hold		(AVH)	•	•	•
Electronic Parking Brake		(EPB)	•	•	•
Overspeed Alert		(OSA)	•	•	•
Driver Monitoring System (DMS) ¹ featuring:	Distraction Warning		—	—	•
	Fatigue Warning		—	—	•
Panoramic 360 Degree View Monitor			•	•	•
Transparent Chassis Monitor			•	•	•
Front Parking Sensors			•	•	•
Rear Parking Sensors			•	•	•
Speed Sensing Door Locks			•	•	•
Automatic Crash Unlocking			•	•	•
Fuel Cut Function			•	•	•

COLLISION PROTECTION				
Dual Front Airbags	•	•	•	•
Dual Side Airbags	•	•	•	•
Dual Full Length Curtain Airbags	•	•	•	•
Driver's Knee Airbag	•	•	•	•
Centre Airbag	•	•	•	•
Three-Point ELR Seatbelts with Pretensioners & Force Limiters	•	•	•	•
Seat Belt Reminder - Front & Rear Seats	•	•	•	•
Driver & Front Passenger Headrests	•	•	•	•
Rear Seat Headrests with 3 Position Adjustment ²	•	•	•	•
Driver & Front Passenger Height Adjustable Seat Belts	•	•	•	•

CHILD SAFETY				
Child Seat Anchor Points (x 3)	•	•	•	•
ISOFIX Anchor Points for 2 ISOFIX Compliant Child Restraints	•	•	•	•
Rear Door Child Lock	•	•	•	•

1. The Driver Monitoring System (DMS) features for Tunland V9-S 4x4 are distraction warning and drowsiness warning. DMS performance and capability is dependent on environmental and technical conditions. Refer to Owner's Manual for full details. 2. Outboard Headrests Only.

I STANDARD
O OPTIONAL
— UNAVAILABLE



Tunland V7-C4x2



Tunland V7-C4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

INTELLIGENT DRIVING DYNAMICS					
4x2 (2WD)			•	—	—
Part Time 4x4 (4WD)			—	•	•
Auto Start/Stop			•	•	•
Rear Differential Lock ¹			—	•	•
Front Differential Lock ¹			—	—	•
Four Wheel Drive Mode	2H		•	—	—
	Auto/2H/4H/4L		—	•	•
Drive Mode Select	Eco/ Standard/ Sport		•	—	—
	Eco/ Standard/ Sport/ Sand/ Mud/ Snow		—	•	•
Advanced Driver-Assistance System (ADAS) featuring:	Adaptive Cruise Control	(ACC)	•	•	•
	Autonomous Emergency Braking with Pedestrian & Cyclist Alert	(AEB)	•	•	•
	Front Collision Warning	(FCW)	•	•	•
	Lane Departure Warning	(LDW)	•	•	•
	Pedestrian Collision Warning	(PCW)	•	•	•
	Lane Keep Assist	(LKA)	•	•	•
	Lane Centering Control	(LCC)	•	•	•
	Traffic Sign Recognition	(TSR)	•	•	•
	Emergency Signal System	(ESS)	•	•	•
	Blind Spot Detection	(BSD)	•	•	•
	Door Open Warning	(DOW)	•	•	•
	Rear Cross Traffic Alert	(RCTA)	•	•	•
	Trailer Stability Assist	(TSA)	•	•	•
Electronic Power Steering Modes	Sport/ Comfort/ Light		•	•	•
Tyre Pressure Monitoring System ² with Tyre Temperatures		(TMPS)	•	•	•

TRAY					
Inner Rope Hook		•	•	•	•
Sports Bar		—	—	•	•
Tailgate	Tailgate Assist	•	•	•	•
	Decorative Board	•	•	•	•
	Chrome Tray Handle	—	—	—	•
Key Locking Tailgate		—	—	•	•
Spray In-Tub Liner		•	•	•	•

1. Auto disconnects if vehicle is travelling more than 38km/hr. 2. TPMS triggered at 1.8bar = 180kpa.

I STANDARD
 O OPTIONAL
 — UNAVAILABLE



Tunland V7-C4x2



Tunland V7-C4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

EXTERIOR FEATURES

Chrome Type Front Grille		•	•	•	•
Side Step		•	•	—	—
Premium Side Step		—	—	•	•
Door Mirror	Power Adjust	•	•	•	•
	Heated	—	—	•	•
	Indicators	•	•	•	•
	Position Memory	—	—	—	•
	Power Folding	—	—	•	•
Roof Rails		—	—	—	•
Panoramic Sunroof		—	—	—	•
Electrically Adjustable Sunshade		—	—	—	•
Green Glass in Front Doors		•	•	•	•
Green Glass in Rear Doors, Rear Quarter & Rear Windscreen		•	•	•	—
Privacy Glass in Rear Doors, Rear Quarter & Rear Windscreen		—	—	—	•
Front & Rear Mudguards		•	•	•	•

EXTERIOR LIGHTING

LED Daytime Running Lights (DRL)	•	•	•	•
Dusk Sensing LED Headlights	•	•	•	•
Electric Height Adjustable Headlight	•	•	•	•
'Follow Me Home' Headlight Function	•	•	•	•
LED Combination Rear Lights	•	•	•	•

INTERIOR FEATURES

Interior Lighting	256 Colour Ambient Lighting	•	•	•	•
	LED Front Reading Lighting	•	•	•	•
	LED Rear Roof Lighting	—	—	—	•
	Halogen Rear Roof Lighting	•	•	•	—
Air-Conditioning	Automatic Single Zone	•	•	—	—
	Automatic Dual Zone	—	—	•	•
	Rear Air Vent	•	•	•	•
	Centre Armrest Storage with Air Vent	•	•	•	•
Front Windshield Demister		•	•	•	•
Rear Windshield Demister		•	•	•	•
BCM Anti-Theft Security System		•	•	•	•
4-way Manual Steering Wheel Adjustment		•	•	•	•
Screen Display	12.3" Digital Instrument Cluster	•	•	•	•
	14.6" Infotainment Screen	•	•	•	•
	Bluetooth Connectivity	•	•	•	•
	AM/FM Radio	•	•	•	•
4 Speaker Audio System		•	•	—	—
6 Speaker Audio System		—	—	•	•

I STANDARD
 O OPTIONAL
 — UNAVAILABLE



Tunland V7-C4x2



Tunland V7-C4x4



Tunland V9-L 4x4



Tunland V9-S 4x4

CONVENIENCE				
12V/ 120W Power Outlet	•	•	•	•
USB-A Ports (x 2)	•	•	—	—
USB-A Ports (x 4)	—	—	•	•
220V/ 300W Power Socket (Vehicle To Load - V2L)	—	—	•	•
Rain-Sensing Front Windshield Wipers	•	•	•	•
Power Windows (Driver with Auto Up/ Down & Jam Protect)	•	•	•	—
Power Windows (All with Auto Up/ Down & Jam Protect)	—	—	—	•
Rear Seat Centre Armrest	•	•	•	•
Automatic Anti-Glare Rearview Mirror	—	—	•	•
Remote Central Locking	•	•	•	•
Smart Key Start & Entry	•	•	•	•
Driver & Front Passenger Illuminated Sunvisors with Vanity Mirrors	•	•	•	•
Integrated Dashcamera ¹ with Panoramic View	•	•	•	•
18W Wireless Charging Pad ² (x 1)	—	—	•	•
Active Regeneration Switch (DPF)	•	•	•	•
Facial Recognition (x 3 Profiles)	—	—	—	•
"Hi Foton" Voice Recognition	•	•	•	•

SEATING				
Interior Trims	Synthetic Leather Seat Trim	•	•	•
	Black Seat Trim	•	•	•
	Brown Seat Trim ³	O	O	O
Driver's Seat Courtesy Seat Function		—	—	•
Driver's Seat Features	6-way Manual Adjustment	•	•	—
	6-way Powered + 4-way Lumbar Adjustment	—	—	•
	Heating Function	—	—	•
	Ventilation Function	—	—	•
	Memory Function	—	—	•
Front Passenger Seat Features	4-way Manual Adjustment	•	•	—
	4-way Powered Adjustment	—	—	•
	Heating Function	—	—	•
	Ventilation Function	—	—	•
Second Row Seat Features	Fold Up 60/40 Split	•	•	•
	Fold Down	•	•	•
	Heating Function	—	—	•

STORAGE				
Glovebox	•	•	•	•
Centre Console Cupholder	•	•	•	•
Rear Seat Arm Rest Cupholder	•	•	•	•
Under Centre Console Storage Area	•	•	•	•
Centre Armrest Storage Box	•	•	•	•
Door Storage & Bottle Holder	•	•	•	•
Sunglasses Holder	•	•	•	•
Behind Rear Seat Storage	•	•	•	•
Map Pockets	•	•	•	•

¹ Micro SD card required for function to work. Supports Micro SD Card up to 512GB. ² Compatible Qi enabled and compliant device required. ³ Optional extra available at an additional cost.

EXTERIOR COLOURS (Tunland V9-S 4X4 models shown)



FLARE WHITE

GALAXY SILVER¹TITANIUM GREY¹FIRE RED¹PHANTOM BLACK¹DIAMOND BLUE¹LIGHTNING PURPLE¹AURORA GREEN¹

¹. Optional extra available at an additional cost. Note: Paint colours are representative only and subject to variation due to the printing process.

FOTON Automotive Australia offers this information as a general guide to product specifications. All data is believed to be correct as at October 2025, however, as development is an ongoing process, changes may occur from time to time which will not necessarily be reflected herein. Therefore, FOTON Automotive Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of FOTON products, you should not rely solely on the information provided in this brochure. Dealers are not agents of FOTON Automotive Australia and have absolutely no authority to bind FOTON Automotive Australia by an express or implied undertaking or representation. Inchcape Automotive Distribution Australia Pty Ltd ABN 72 637 080 927 trading as FOTON Automotive Australia.

fotonaustralia.com.au