



# MGU9



MGMOTOR.COM.AU

**2.5L**  
Turbo Diesel  
Engine

**3,500 KG**  
Braked w  
Capacity

**4x4**  
System with Independent  
Multi-Link Suspension

## TECHNICAL SPECIFICATIONS

	EXPLORE	EXPLORE X	BLACK ED.	EXPLORE PRO
<b>TECHNICAL DATA / ENGINE</b>				
Type	2.5L Turbo Diesel			
Maximum Engine Power (kW)	160			
Maximum Engine Torque (Nm)	520			
Maximum Speed (km/h)	180			
Drivetrain	4x4			
Three Lock: Front Differential Lock, Rear Differential Lock, Mid-Lock	BorgWarner Intelligent Transfer Case System			
Fuel Grade	Diesel			
Displacement (cc)	2498			
Transmission	ZF 8 Speed Automatic			
No. of Valves	16			
No. of Cylinders	4			
Fuel Tank (Litres)	80			
Drive Modes: Eco/Normal/Sport/Mud/Snow/Sand/Tow/Custom	•	•	•	•
Steering Assist Modes: Standard/Sport/Comfortable	•	•	•	•
Intelligent Real Time Torque on Demand	•	•	•	•
<b>STEERING, SUSPENSION &amp; BRAKES</b>				
Steering	Electric Power Steering (EPS)			
Front Suspension	Double Wishbone			
Rear Suspension	Multi Link Independent			
Front Brakes	Ventilated Discs			
Rear Brakes	Discs			
Front on Demand Differential Lock	-	-	•	•
Rear on Demand Differential Lock	•	•	•	•
<b>WHEELS &amp; TYRES</b>				
18" Alloy Wheels	•	-	-	-
18" Black Alloy Wheels with All-Terrain Tyres	-	-	•	-
19" Alloy Wheels	-	•	-	-
20" Alloy Wheels	-	-	-	•
Tyre Size	265/65R18	275/60R19	265/65R18	275/55R20
Full Size Spare Wheel	•	•	•	•
<b>WEIGHT</b>				
Gross Combined* Vehicle Mass (kg)	6500			
Gross Vehicle Mass (kg)	3320			
Tare Weight (kg)	2398	2433	2433	2498
Kerb Weight (kg)	2450	2485	2485	2550
Payload (kg)	870	835	835	770
Towing Capacity – Braked (kg)	3500			
Towing Capacity – Unbraked (kg)	750			
Axle Load Capacity – Front (kg)	1600			
Axle Load Capacity – Rear (kg)	2100			

	EXPLORE	EXPLORE X	BLACK ED.	EXPLORE PRO
<b>FUEL CONSUMPTION &amp; EMISSION</b>				
Fuel Consumption (L/100km) Combined*	7.9			
Fuel Consumption (L/100km) Urban*	9.5			
Fuel Consumption (L/100km) Extra Urban*	7.0			
CO2 (g/km) Combined*	208			
CO2 (g/km) Urban*	250			
CO2 (g/km) Extra Urban*	184			
<b>DIMENSIONS</b>				
Approach Angle (unladen, degrees)	29°	28°	29°	28°
Departure Angle (unladen, degrees)	25°			
Maximum Climbing Angle (unladen, degrees)	31°			
Front Track/Rear Track (mm)	1685/1685			
Ground Clearance (unladen, mm)	220			
Ground Clearance (Maximum Load, mm)	180			
Overall Length (mm)	5500			
Overall Height (with Roof Rails, mm)	1874			
Overall Width (Exterior Mirrors extended, mm)	2265			
Overall Width (Exterior Mirrors folded, mm)	2045			
Overall Width (Width excluding mirrors, mm)	1997			
Front Overhang (mm)	953			
Rear Overhang (mm)	1247			
Ramp Breakover Angle (degrees)	20°			
Turning Circle (kerb to kerb, m)	13.3±1			
Wading Depth (mm)	550			
Wheelbase (mm)	3300			
Tub Box Width – Pick-Up Box (mm)	1600			
Tub Box Width of Rear Opening (mm)	1500			
Tub Height – at Centreline of Axle (mm)	535			
Tub Length – at Floor (mm)	1600			
Tub Length – Top of Box (mm)	1561			
Tub Width – Between Wheel Arches (mm)	1230			
2nd Row Headroom (mm)	979			
2nd Row Legroom (mm)	963			
2nd Row Shoulder Room (mm)	1563			
Front Headroom (mm)	1009	1009	1009	979
Front Legroom (mm)	1044			
Front Shoulder Room (mm)	1583			

## TECHNICAL SPECIFICATIONS

	EXPLORE	EXPLORE X	BLACK ED.	EXPLORE PRO
<b>LIGHTING</b>				
LED Headlights with manual leveling (2 Lenticular)	•	-	-	-
LED Headlights with manual leveling (3 Lenticular)	-	•	•	•
Intelligent Headlamp Control (IHC)	•	•	•	•
Rear Fog Light	•	•	•	•
LED Daytime Running Light	•	•	•	•
LED High Level Brake Light	•	•	•	•
Automatic Headlights	•	•	•	•
LED Rear Taillights	•	•	•	•
2x LED Rear Tub Lights	-	•	•	•
64 Colour Interior Ambient Lighting	-	-	-	•
<b>EXTERIOR</b>				
Engine Bonnet – Gas Strut	•	•	•	•
Single Front Tow Recovery Point	•	•	•	•
Metallic Black Door Handle	•	•	•	•
Door Mirrors – Black	•	•	•	•
Chrome Finish Window Trim	•	•	-	-
Black Finish Window Trim	-	-	•	•
Black Front Grille	-	-	•	-
Black MG Badging (Front & Rear)	-	-	•	-
Black Wheel Caps	-	-	•	-
Black Door Side Trim	-	-	•	-
Stamped MGU9 Tailgate Design	-	-	•	-
Electrically Adjustable, Heated Door Mirrors	•	-	-	-
Electrically Adjustable, Electric Folding, Heated Door Mirrors	-	•	•	•
Rear View Mirror Reversing Memory	-	-	-	•
Tub Cargo Slide Rail with Hook	-	•	•	•
Tub Liner – Sprayed on	•	•	•	•
Side Steps	•	•	•	•
Silver Roof Rails	•	•	-	-
Black Roof Rails	-	-	•	•
Black Wheel Arches	•	•	•	•
Cargo Tailgate Lock	•	•	•	•
Cargo Opening: Electric Tailgate	-	-	•	•
Tri-Folding Tailgate (Rear Step)	-	-	•	•
Tailgate with Lift Assistance	•	•	•	•
Boneless Front Wiper	•	•	•	•
Rain Sensing Wipers	•	•	•	•
Smart Hatch (Retractable Rear Panel)†	-	-	-	○

## INTERIOR

	EXPLORE	EXPLORE X	BLACK ED.	EXPLORE PRO
Microfibre Leather Steering Wheel	•	•	•	•
Steering Wheel Heating	-	•	•	•
Sun Visor with Mirror and Illumination	•	•	•	•
Suede Headliner Material	-	-	-	•
Black Headliner and Pillars	-	-	•	-
LED Front Reading Light	•	•	•	•
LED Rear Reading Light	-	-	-	•
Electronic Panoramic Sunroof	-	-	-	•
Driver's 6-Way Electric Adjustable Seat	•	•	•	-
Driver's 8-Way Electric Adjustable Seat + 4-Way Electronic lumbar support with Ventilation, Massage Function and Memory	-	-	-	•
Passenger 4-Way Manual Adjustable Seat	•	-	-	-
Passenger 6-Way Electric Adjustable Seat	-	•	•	•
Rear Seat Cushion 60/40 Split	-	-	-	•
Rear Back Rest 60/40 Split	•	-	•	•
MultiFold Seats	-	-	-	•
Artificial Leather Seats	•	•	•	-
Leather Seats	-	-	-	•
Heated Front Seats	-	•	•	•
Heated Rear Side Seats	-	-	-	•
<b>EXTERIOR COLOURS</b>				
Canyon Grey	•	•	•	•
Midnight Black	•	•	•	•
Alpine White	•	•	•	•
Highland Green	•	•	-	•
Summit Blue	•	•	-	•
Riverstone Blue	•	•	-	•
<b>INSTRUMENTS</b>				
12.3" Instrument Cluster and 12.3" Driver Display	•	•	•	•
Cluster Brightness Adjustment	•	•	•	•
Trip Computer	•	•	•	•
<b>HEATING &amp; VENTILATION</b>				
Dual Zone A/C	•	•	•	•
Electric Auto A/C	•	•	•	•
Rear Window Demister	•	•	•	•
Rear A/C Vents	•	•	•	•
Pollen Filter	•	•	•	•

## TECHNICAL SPECIFICATIONS

	EXPLORE	EXPLORE X	BLACK ED.	EXPLORE PRO
<b>SAFETY &amp; SECURITY</b>				
Autonomous Emergency Braking (AEB)	•	•	•	•
Adaptive Cruise Control (ACC)	•	•	•	•
Towing Cruise Control (TCC)*	-	-	•	-
Lane Change Assist (LCA)	•	•	•	•
Lane Keep Assist (LKA)	•	•	•	•
Lane Departure Warning System (LDW)	•	•	•	•
Emergency Lane Keep Assist (ELKA)	•	•	•	•
Intelligent Cruise Assist (ICA)	•	•	•	•
Intelligent Speed Limit Assist (SAS)	•	•	•	•
Blind Spot Detection (BSD)	•	•	•	•
Electric Parking Brake (EPB)	•	•	•	•
Driver Monitor System (DMS)	•	•	•	•
Fatigue Reminder	•	•	•	•
Forward Collision Warning (FCW)	•	•	•	•
Rear Collision Warning (RCW)	•	•	•	•
Rear Cross Traffic Alert (RCTA)	•	•	•	•
Door Open Warning (DOW)	•	•	•	•
Direct Tyre Pressure Monitoring System (TPMS)	•	•	•	•
Rear ISOFIX (x2) + Top tether Anchorage (x2)	•	•	•	•
Drivers Airbag + Passenger Airbag	•	•	•	•
Two Side Airbags	•	•	•	•
Two Curtain Airbags	•	•	•	•
Far Side Airbag	•	•	•	•
Electronic Stability Program (ESP)	•	•	•	•
Hill Descent Control (HDC)	•	•	•	•
Hill-Start Assist System (HAS)	•	•	•	•
Autohold	•	•	•	•
Seat Belt Reminder	•	•	•	•
Front Seat Belt (3 point with Pretensioner and Load Limiter)	•	•	•	•
Rear Seat Belt (3 point x3. Outer with Pretensioner and Load Limiter)	•	•	•	•
Emergency Safety Glass Break	•	•	•	•
Speed Limit Information Function (SLIF)	•	•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Roll Movement Intervention (RMI)	•	•	•	•
Traction Control System (TCS)	•	•	•	•
Vehicle Dynamics Control (VDC)	•	•	•	•
Lockable Glove Box	•	•	•	•
Front & Rear Parking Sensors	•	•	•	•
Reverse Camera	•	-	-	-
360° High Definition Camera	-	•	•	•
Alarm & Engine Immobiliser	•	•	•	•

	EXPLORE	EXPLORE X	BLACK ED.	EXPLORE PRO
<b>IN-CAR ENTERTAINMENT</b>				
6-Speaker Sound System	•	•	•	-
JBL® 8-Speaker Sound System	-	-	-	•
12.3" Infotainment Screen	•	•	•	•
DAB+ Audio	•	•	•	•
FM & AM Radio	•	•	•	•
Bluetooth®	•	•	•	•
Amazon Music	-	•	•	•
iSMART - (12 Months Complimentary Access)*	-	•	•	•
Over-The-Air Updates	-	•	•	•
Vehicle APP Connectivity	-	•	•	•
Offroad Vehicle Information	-	•	•	•
Voice Control	-	•	•	•
Built-In Satellite Navigation	-	•	•	•
Wireless Apple CarPlay® and Android Auto™ Connection	•	•	•	•
Wireless Mobile Charging (15W)	-	•	•	•
USB Ports x 4 (2x Type-A and 2x Type-C)	•	•	•	•
<b>COMFORT &amp; CONVENIENCE</b>				
Tilt and Telescopic Steering Wheel	•	•	•	•
Gear Paddle Shift	•	•	•	•
Remote Central Locking	•	•	•	•
Keyless Entry	•	•	•	•
Push Button Start	•	•	•	•
Automatic Door Lock	•	•	•	•
4 Window One Touch Up/Down (With Anti Pinch)	•	-	-	-
4 Windows One Touch Up/Down (With Anti Pinch and Intelligent Windows)	-	•	•	•
Wading Sensor	•	•	•	•
Trailer Reversing Assist	-	-	-	•
12V Power Outlet x1	•	•	•	•
Auto Dimming Rearview Mirror	-	•	•	-
Acoustic Front Windshield	-	•	•	•
Multifunctional Steering Wheel	•	•	•	•
Cup Holders	x2	x2	x2	x4

\*Figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real-world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only. \*MG iSMART is provided as a complimentary service for the first 12 months from your purchase date of a new MG vehicle. After this period, you are responsible for payment of any service or licence charges MG may introduce. If charges are implemented, you will receive at least 60 days' notice. †Optional feature, offered only on the Explore Pro variant. ‡Maximum vehicle braked towing capacity is subject to state and federal regulatory requirements. Before towing, customers should consider the vehicle's limitations, including towing capacity specifications, gross vehicle mass (GVM), gross combined mass (GCM), kerb weight specified by the manufacturer, and ensure that individual front and rear axle load limits are not exceeded as also specified by the manufacturer. Vehicle payload calculation is GVM less kerb weight or as otherwise specified in the vehicle owner's manual. Actual payload is affected by any added load to the vehicle, including the number of occupants, luggage, accessories, and tow ball download weight. It is important to consider the actual payload, to ensure the fully loaded vehicle remains within the specified GVM limits. §Towing Cruise Control (TCC) functions as a conventional cruise control system, maintaining a pre-set vehicle speed only. The driver must remain in full control of the vehicle at all times whilst TCC is active, including steering and braking. When TCC is activated, the driver may remove their foot from the accelerator pedal but must keep their foot within immediate reach of the brake pedal. TCC is not a substitute for driver attention, judgement, or responsibility.

# Interior & Exterior Colours



## BOOK A TEST DRIVE TODAY.

©MG Motor Australia 2026. MG Motor Australia offers this information as a general guide to product specifications. All data that applies to MY26 models only is believed to be correct as at June 2026; however as product development is an ongoing process, changes may occur from time to time which may not be necessarily reflected herein. To the maximum extent permitted by law, MG Motor Australia shall not be liable for any reliance placed by any person on the content of this publication. MG Motor Australia reserves the right to change specifications without notice. Accordingly, this information should not be regarded as an infallible guide to correct specifications, nor does it constitute an offer for sale of any particular vehicle. Whilst all care has been taken to provide you with information in regards to the general use of MG products, you should not rely solely on the information provided in this specification sheet. Dealers are not agents of MG Motor Australia and have absolutely no authority to bind MG Motor Australia by an express or implied undertaking or representation. ~ Warranty T&C's at [www.mgmotor.com.au/warranty](http://www.mgmotor.com.au/warranty). Bluetooth® is a registered trademark and logo of Bluetooth SIG, Inc. AU 2024. Actual Australian specification may vary from vehicle shown.

Follow us

